



Protime T&A Solutions

IT71

IT Series terminals are ideal for improving business efficiency and monitoring employee productivity. The IT71 provides many benefits including by offering customisation and compatibility with a wider range of credential options.



IT71 Time & Attendance Terminal

IT Series Workforce Management Terminals are ideal for improving business efficiency and monitoring employee productivity. The IT71 provides many benefits including by offering customisation and compatibility with a wider range of credential options.

Easy

The IT71's compatibility with a wide range of credentials ensures that it easily integrates with any organisation.

The IT71 is an ideal choice for multi-lingual workforces, as the interface can change to the individuals preferred language when they present their credential.

Plug and play deployment means the IT71 is also easy to install. Allowing you to install more terminals in a shorter amount of time, increasing your installation capacity.

Standard WiFi module make it even easier to install the terminals within environments without physical ethernet connections.

Robust

Designed specifically for continuous use in high traffic, professional environments, IT71 is robust, secure and features a powerful industrial grade Quad Core processor, together with a range of power options including Power over Ethernet (PoE) connectivity for fast, cost effective installation

End User Benefits:

Accompanied by a range of integrated modular user identification and verification peripherals, including - multiprotocol reader, barcode , biometric finger-print scanning.

Multi-lingual Interface possibilities.

Possibility to connect USB Barcode Scanners

Full colour, high resolution, multi-touch, 10" screen

Standard Programmable Relay Outputs for bell ringers, etc.

Display

10inch full colour capacitive multi-touch display with toughened glass for use in high traffic environments

16:9 aspect ratio, 1280 x 800 pixel resolution

Personalised welcome screen i.e. display time or prompts



Keypad

Durable membrane keyboard with numeric keypad, navigation and function keys

Key operation beep provides live confirmation

Power

12V DC

Power over Ethernet 802.3at / 802.3af (optional)

Optional lithium ion battery back up, up to 2 hours

Active IR presence detection for energy saving when the clock is not being used

Operating temperature

0°C - 45°C (32°F to 113°F)

RTC

Battery backed real time clock

Use internal clock

System supports NTP for setting and maintaining time

Case

230mm x 275mm x 96mm
9.1 inches x 10.8 inches x 3.8 inches

Pre-formed cable entries

Lockable case

I/O

Multi Protocol Reader
Possibilities (Mifare, Legic, Hid, etc)

Programmable Relay Output

External Barcode Scanner, Biometric

Connectivity

Ethernet HTTPS connectivity

WiFi: Intel dual band, dual stream
802.11ac

More info?

Contact Prottime at

Prottime
Kontichsesteenweg 54
2630 Aartselaar

+32 (0)3 870.60.50

make
time
valuable